



# THE WEEKLY COUNCIL INFORMATION REPORT

May 7, 2021

## INTRODUCING THE NEWEST MEMBERS OF THE FINANCE TEAM

### ACCOUNT CLERK - MELISSA ROSALES



Melissa Rosales started her career with the City of Merced almost two years ago as Temporary Clerk and worked in both the Public Works and Finance Departments.

In November 2020, Melissa became a full-time Account Clerk in the Finance Department on the Customer Service Team. Ms. Rosales assists City of Merced residents in person with their utility accounts, business licenses, and various other City accounts.

Melissa is the first person in her family to attain a post-secondary degree. She has an associate's degree in History and is currently pursuing a bachelor's degree in Business Administration from CSU Stanislaus.

Melissa has been a great addition to the Team.

### PAYROLL SUPERVISOR - JUSTIN FAILING



Justin Failing started his career with the City of Merced on November 30, 2020. He previously worked as a store manager for a large sporting goods company for over 10 years, and then for the Merced City School District processing payroll for all classified staff.

Mr. Failing has done an outstanding job researching issues that may affect how payroll is calculated and delves into problems to determine their cause and how to prevent them from reoccurring in the future.

As the City continues to implement Tyler Munis, Justin's skills will be invaluable when the payroll module is implemented.

Justin is a valuable member of the Finance Team.

**ACCOUNT CLERK - GUADALUPE “LUPITA”  
MADRIGAL-NOYOLA**



Guadalupe “Lupita” Madrigal-Noyola joined the City of Merced in December 2020 as an Account Clerk in the Finance Department. Ms. Madrigal-Noyola is assigned to the Customer Service Team and is in the process of learning the various types of accounts that the City of Merced residents have, such as utility services, business licenses, and more. Lupita currently assists City residents at the Finance counter and over the phone.

Lupita is an adventurous person who enjoys embarking on new opportunities and learning new things. She is the first person in her family to achieve a post-secondary degree and holds a bachelor’s degree in Management and Business Economics from UC Merced.

The Finance Department is pleased to have Lupita on their squad.

**SENIOR ACCOUNTANT - JORDAN KAISER**



Jordan Kaiser recently joined the Finance Department as Senior Accountant on April 26, 2021. His background and experience consist of public accounting as an auditor, auditing local governments, nonprofits, and privately owned companies as well as preparation of financial statements, and footnote disclosures. Jordan’s experience will aid the City during its annual audit and formation of financial statements. The department looks forward to Mr. Kaiser’s contribution and execution of his skills and abilities.

Jordan’s areas of responsibilities are accounts payable, treasury functions, month-end close process, and report preparation. In his short tenure here, Jordan has already shown his aptitude for learning all things “City of Merced-related” and is embracing the functions of his position.

## MERCED POLICE DEPARTMENT HIGHLIGHTS

### CAPTAIN MATT WILLIAMS RETIRES AFTER 32 YEARS OF SERVICE



Matt Williams began his career with the Merced Police Department in 1989. Prior to his employment with the Merced Police Department, he served in the U.S. Army's 75th Ranger Regiment for four years and spent one year as a Reserve Officer for the Atwater Police Department.

Over the years, Capt. Williams worked in several specialty units, including the Mounted Enforcement Team, the Field Training Officer Program, and he was a member of the S.W.A.T. team for 17 years.

Williams was promoted to the rank of Corporal in 1997. Then in 2003, he was promoted to the rank of Sergeant. As a Sergeant he supervised Patrol and the Field Training Officer Program.

In 2006, Williams was promoted to the rank of Lieutenant, where he oversaw the Special Operations Unit, the Bomb Team, the Volunteers in Police

Service Program, Internal Affairs, and he was the Terrorism Liaison Coordinator.

In 2016, Williams was promoted to the rank of Captain. As Captain, Williams was assigned to the Patrol Division, the Administration Division, and the Police Chief for Merced College. Mr. Williams briefly served as the Acting Merced Police Chief.

Williams said his favorite thing about the job is the people and being involved in situations that changed people's lives for the better. Williams' favorite assignment was supervising the Special Operations Unit.

Williams said he will absolutely miss all the department employees. He said his heart sincerely goes out to the officers, investigators, and personnel, who are just grinding it out day and night.

Williams plans to enjoy every moment of his day, and it doesn't matter what he's doing. He intends on making a few more custom guitars and continuing to hike, climb mountains, rock climb in Yosemite National Park, ride his motorcycle, and most importantly, spend time with his family. Williams will have five grandkids by the end of this year, he plans on spending time with them. In June, he and his wife will be celebrating their 37th wedding anniversary.

A sincere "thank you" to Matt Williams for serving over 32 years to the City of Merced!

Wishing you the best in your retirement!



**MAY THE FOURTH BE WITH YOU!**



Merced Police officer, Craig McKeeman was nice enough to suit up in his Darth Vader costume on May the Fourth (“May the fourth be with you” is a pun for Disney’s popular Star Wars catchphrase, “May the force be with you”). The Department hosted “pop-up” photo events at Merced City parks. Several children of all ages engaged in lightsaber matches.

**MPD AT THE MERCADO**



Congratulations to the Merced County Hispanic Chamber of Commerce for a very successful event Thursday night. The MPD officers and Explorers attended the event and engaged with the community.

**UPDATES FROM FIRE DEPT.**

**MFD AT THE MERCADO, TOO**

Thank you to the City of Merced and Merced County Hispanic Chamber of Commerce for inviting the Fire Department to promote public safety at “The Mercado”! It was a huge success. Fire personnel met countless people who were interested in what they do and were very thankful for the services they provide. The MFD looks forward to being at the next five Mercados events. They already have in stock, fire chief hats and stickers to hand out to their visitors.



## FIRE DEPT. RECEIVES GRANT AWARD FROM STATE HOMELAND SECURITY

The Fire Department applied for and was awarded a \$7,448.04 FY 18 State Homeland Security grant to purchase and install two vehicular repeaters. The vehicular repeaters enable the firefighters to communicate through hand-held radios with the command center while they enter a building, encounter an in-building fire, and need to call for back up assistance at the scene. Without a repeater to relay the communications, the firefighters inside a building may get cut off from communicating with the command center.

Thank you to the City Council for accepting the grant award at the May 3<sup>rd</sup> meeting as the repeaters will allow the Merced Fire Department to increase their responsiveness and safety at emergency incidents.



## PUBLIC WORKS IN ACTION

### WATER CREW RESPONDS TO MAIN BREAK AT G STREET & BEAR CREEK DRIVE

The Public Works Water crew responded to an emergency water main break on Friday, April 30<sup>th</sup> at G Street and Bear Creek Drive.



**REPAIRS COMPLETED FOR RAILING AT R & BEAR CREEK UNDERCROSSING**

The Parks & Streets Divisions removed and replaced a section of vandalized railing at the R Street & Bear Creek Drive undercrossing this week.

**BEFORE**




**AFTER**



**WWTP PERFORMS ANNUAL MAINTENANCE**

The Wastewater Treatment Plant (WWTP) Operations and Maintenance crew is pictured below changing out 2,800 membranes. This task is performed annually.



### SEWER CREW AT WORK

The Sewer crew is pictured below performing enhanced area flushing and grease removal.



The crew also performed CCTV camera inspection for the Gerard Avenue Sewer capital project.



### STREETS CREW CONTINUES ANNUAL MAINTENANCE

The Streets crew continue with annual painting of stop legends and stop bars throughout town.



**TREE PRUNING CONTRACT**

Contracted tree pruning services continue this week with the contractor, West Coast Arborists, working in the Silverado district.

SILVERADO (near McKee):



West Coast Arborists completed tree pruning around Davenport Park.

DAVENPORT:



**ACCESSORY DWELLING UNITS BROCHURE**

What are Accessory Dwelling Units (ADU)? To learn about ADUs, see the attached brochure. The document is also available on the City’s website and social media platforms.

**INSPECTION SERVICES BIWEEKLY REPORT**

Please find attached, the Inspection Services Biweekly Report for the period of 4/19/21 – 5/2/21.

**PLANNING COMMISSION ACTION MEMO**

Please find attached, the Planning Commission Action Memo from the meeting of 5/5/21.

**BOYS & GIRLS CLUB CEREMONY**

Please find attached, the invitation from the Boys & Girls Club of Merced County for their installation of new Board Directors, appreciation to Club Founders Mr. & Mrs. Weaver, and recognition of major donors. Event date is 5/19/21, starts at 7:30 a.m.

**REPORTS & CORRESPONDENCE**

- 1. ADU Brochure Page 9
- 2. Inspection Services Report Page 11
- 3. PC Action Memo Page 12
- 4. Boys & Girls Club Ceremony Page 24





## Fees for ADUs

**Sewer and Water Fees:** ADUs are not considered to be a new residential use for the purposes of calculating connection fees or capacity charges for sewer and water service, unless the ADU or JADU is constructed with a new single-family dwelling.

Any utility fee or charge imposed on a detached ADU can't exceed the cost of providing the service. ADUs contained within the existing space of a single-family dwelling or accessory structure are not required to install a new or separate utility connection and cannot be charged for one.

**Impact Fees:** ADUs less than 750 square feet are exempt from impact fees. ADUs larger than 750 square feet will be charged impact fees proportional to the square footage of the primary dwelling.



## What's an ADU?

An Accessory Dwelling Unit or ADU is an independent living facility, attached or detached, for one or more persons. An ADU provides permanent provisions for living, sleeping, eating, cooking, and sanitation on the same parcel as a primary dwelling.



## What's a Junior ADU?

A Junior ADU (JADU) is an ADU, not to exceed 500 square feet in size, entirely within the walls of an existing or proposed single-family dwelling. Please refer to MMC 20.42.050 for specific standards for JADUs.

*For More Information, Contact:*

—  
City of Merced Planning Division

—  
678 West 18<sup>th</sup> St, Merced

—  
(209) 385-6858

—  
[planningweb@cityofmerced.org](mailto:planningweb@cityofmerced.org)

—  
[www.cityofmerced.org](http://www.cityofmerced.org)



# Accessory Dwelling Units

*What Are They and How Can I Build One?*



## Location, Number, & Size Standards for ADUs

- ✓ ADUs are permitted in any zone that allows single-family, multi-family, or mixed use.
- ✓ For parcels with a single-family unit, one ADU and one JADU shall be allowed per lot.
- ✓ For parcels with multi-family units, converted ADUs cannot exceed 25 percent of the total units and no more than 2 detached ADUs are allowed per parcel.
- ✓ There is no minimum parcel size.
- ✓ Attached or Converted ADUs cannot exceed 50 percent of the size of the primary unit or 1,200 square feet, whichever is less. (Garages/carports are excluded from these calculations).
- ✓ Detached ADUs cannot exceed 1,200 square feet in size (garages exempt).

## ADU Design Standards

- ✓ ADUs may be attached, detached, converted habitable space (i.e. garage or accessory structure), or within the walls of the primary unit.
- ✓ In general, required side and back yard setbacks are 4 feet, but consult the Code for exceptions.
- ✓ Height of attached/converted ADUs cannot exceed the primary unit's height or 16 feet for detached ADUs on multi-family parcels.
- ✓ Finish materials and roof form must match the primary unit.
- ✓ One additional parking space shall be provided for an ADU. However, please consult MMC 20.42.030(H) for exceptions, including for the conversion of existing garages which does not require replacement parking.

*Please Refer to Merced Municipal Code (MMC) Zoning Ordinance Section 20.42 for Complete Requirements Regarding ADUs*

## Occupancy/Rental Standards

For ADUs built between January 1, 2020, and January 1, 2025, there is no requirement for owner occupancy of the ADU or primary unit. However, JADUs do require owner occupancy of the primary unit or JADU, unless the owner is a governmental agency, land trust, or housing organization.

ADUs may be rented, provided the rental term is at least 30 continuous days or more. Transient occupancy is prohibited for ADUs.

In general, ADUs cannot be sold separately, but consult the Code for limited exceptions.

## How Can I Apply to Build an ADU?

There are no special planning permits required for ADUs. Simply apply for a building permit with the Inspection Services Division at (209) 385-6861. In general, complete applications will be acted on within 60 days or deemed approved. Please consult MMC 20.42.020(B) for exemptions.



## **Inspection Services CI**

**For the period of April 19<sup>th</sup>, 2021 through May 2<sup>nd</sup>, 2021, there were 8 New Single-Family Dwelling Permits Issued.**

The running total of New Single-Family Dwellings in Plan Review is **235**.

### **Multi Family Permits in review:**

Gateway Terrace Apartments located at 405 W 12<sup>th</sup> St; 1 office/lounge and 6, 2 story apartments: 2 buildings have 16 units, 3 buildings have 30 units, and 1 building has 4 units for a total of 126 units.

Compass Pointe phase II: 128 units in 16, 8-plex buildings, plus a clubhouse.

There is a fire damage repair that is also adding an ADU located at 1740 Shirley St.

There were 0 multi-family permits issued during this period.

(No change from last report)

There were 0 new construction commercial permits issued during this period.

There were 2 new tenant improvement permits issued during this period; one for a 1,058 SF wine shop located at 629 W. Main St. and one for a laundromat remodel located at 1135 Martin Luther King Jr. Wy.

There was 1 new commercial submittal during this period; for a 4,088 SF convenience store located at 3660 G St.

There were 2 new tenant improvement submittals during this period; one for a UC Merced warehouse located at 855 W 15<sup>th</sup> St., and one for T-Mobile located at 1372 W. Olive Ave.

There were 2 CofOs issued for this period; one for a dental lab located at 545 W 26<sup>th</sup> St., and one for a 3,550 SF dentist office located at 60 W. Olive Ave.

There were 28 CofOs for Single Family Dwellings during this period.

---

*City of Merced*

**MEMORANDUM**

---

**DATE:** May 6, 2021

**TO:** City Council

**FROM:** Kim Espinosa, Planning Manager *KE*

**SUBJECT:** Actions at the Planning Commission Meeting of May 5, 2021

---

At their meeting of May 5, 2021, the Planning Commission recommended the approval of General Plan Amendment #21-01 and Zone Change #427 [for a 4-plex on 4 separate parcels (for a total of 16 units), located at the west side of Q Street, directly south of West 6<sup>th</sup> Street] to the City Council.

If you have any questions about this item, please feel free to contact me.

Attachment

n:shared:Planning:PCMemos

**CITY OF MERCED  
Planning Commission**

**Resolution #4063**

**WHEREAS**, the Merced City Planning Commission at its regular meeting (held via teleconference) of May 5, 2021, held a public hearing and considered **General Plan Amendment #21-01 and Zone Change #427**, initiated by MCP, LLC, property owner. The application involves a change from the current General Plan land use designation of Low Density Residential (LD) to High-Medium Density Residential (HMD), and a Zone Change from Low Density Residential (R-1-6) to Medium Density Residential (R-3-2) for four 0.22-acre parcels located at 565, 575, 601, and 609 Q Street. The applicant would like to develop a 4-plex on 4 separate parcels, for a total of 16 units. The current zoning designation allows for 3 units on 4 separate parcels, for a total of 12 units. The 0.88-acre subject sites are generally located at the west side of Q Street, directly south of West 6<sup>th</sup> Street. The subject sites are more particularly described as Parcels 1, 2, 3, and 4 as shown on the map entitled “Parcel Map for Samuel E. and Kathie K. Bartholomew” recorded in Volume 103, Page 45, in Merced County Records; also known as a portion of Assessor’s Parcel Number (APN) 032-183-039, 032-183-040, 032-183-041, and 032-183-042; and,

**WHEREAS**, the Merced City Planning Commission concurs with Findings/Considerations A through J (Exhibit B) of Staff Report #21-263; and,

**NOW THEREFORE**, after reviewing the City’s Initial Study and Draft Environmental Determination, and discussing all the issues, the Merced City Planning Commission does resolve to hereby recommend to City Council adoption of a Negative Declaration regarding Environmental Review #21-04, and recommend approval of General Plan Amendment #21-01 and Zone Change #427, subject to the Conditions set forth in Exhibit A, and the Findings set forth in Exhibit B, attached hereto and incorporated herein by this reference.

Upon motion by Commissioner Delgadillo, seconded by Commissioner White, and carried by the following vote:

- AYES: Commissioner Camper, Butticci, Delgadillo, White, and Chairperson Harris
- NOES: None
- ABSENT: None (one vacancy)
- ABSTAIN: Commissioner Dylina

PLANNING COMMISSION RESOLUTION #4063

Page 2

May 5, 2021

Adopted this 5<sup>th</sup> day of May 2021

*Michael Harris*

---

Chairperson, Planning Commission of  
the City of Merced, California

ATTEST:



---

Secretary

Attachments:

Exhibit A - Conditions of Approval

Exhibit B - Findings

**Conditions of Approval**  
**Planning Commission Resolution #4063**  
**General Plan Amendment #21-01, and Zone Change #427**

1. The proposed project shall be constructed/designed generally as shown on Exhibit 1 (site plan), Exhibit 2 (floor plans), Exhibit 3 (floor plans) - Attachments C, D, and E of Planning Commission Staff Report #21-263, except as modified by the conditions.
2. The proposed project shall comply with all standard Municipal Code and Subdivision Map Act requirements as applied by the City Engineering Department.
3. All other applicable codes, ordinances, policies, etc., adopted by the City of Merced shall apply.
4. The developer/applicant shall indemnify, protect, defend (with counsel selected by the City), and hold harmless the City, and any agency or instrumentality thereof, and any officers, officials, employees, or agents thereof, from any and all claims, actions, suits, proceedings, or judgments against the City, or any agency or instrumentality thereof, and any officers, officials, employees, or agents thereof to attack, set aside, void, or annul, an approval of the City, or any agency or instrumentality thereof, advisory agency, appeal board, or legislative body, including actions approved by the voters of the City, concerning the project and the approvals granted herein. Furthermore, developer/applicant shall indemnify, protect, defend, and hold harmless the City, or any agency or instrumentality thereof, against any and all claims, actions, suits, proceedings, or judgments against any governmental entity in which developer/applicant's project is subject to that other governmental entity's approval and a condition of such approval is that the City indemnify and defend (with counsel selected by the City) such governmental entity. City shall promptly notify the developer/applicant of any claim, action, suits, or proceeding. Developer/applicant shall be responsible to immediately prefund the litigation cost of the City including, but not limited to, City's attorney's fees and costs. If any claim, action, suits, or proceeding is filed challenging this approval, the developer/applicant shall be required to execute a separate and formal defense, indemnification, and deposit agreement that meets the approval of the City Attorney and to provide all required deposits to fully fund the City's defense immediately but in no event later than five (5) days from

EXHIBIT A  
OF PLANNING COMMISSION RESOLUTION #4063

that date of a demand to do so from City. In addition, the developer/applicant shall be required to satisfy any monetary obligations imposed on City by any order or judgment.

5. The developer/applicant shall construct and operate the project in strict compliance with the approvals granted herein, City standards, laws, and ordinances, and in compliance with all State and Federal laws, regulations, and standards. In the event of a conflict between City laws and standards and a State or Federal law, regulation, or standard, the stricter or higher standard shall control.
6. Appropriate turning radii shall be provided within the parking areas to allow for Fire Department and refuse truck access. This shall be a minimum access road of 22 feet in width. The architect shall demonstrate that the turning radius to get into the parking lot is acceptable for fire apparatus (radius 33 feet inside, and 47 feet outside).
7. The fire access road shall extend to within 150 feet of all portions of the facility and all portions of exterior walls of the first story of the building, or as otherwise approved by the Fire Chief. This may require widening the parking lot driving aisles to 22 feet.
8. If building height is increased during the Building Permit stage, the applicant shall consult with the Fire Chief so they may determine if aerial access would be required.
9. All projects on this site shall comply with Post Construction Standards in accordance with the requirement for the City's Phase II MS-4 Permit (Municipal Separate Storm Sewer System).
10. Bicycle parking for all projects on the site shall meet the minimum requirements of the California Green Building Code and Merced Municipal Code Section 20.38.080.
11. All landscaping on the site shall be in compliance with the City's Water Efficient Landscaping and Irrigation Ordinance (Merced Municipal Code Section 17.60) and all state-mandated conservation and drought restrictions as well as the City's Zoning Ordinance Section 20.36 – Landscaping.
12. Irrigation for all onsite landscaping shall be provided by a low-volume system in accordance with the State's Emergency Regulation for Statewide Urban Water Conservation or any other State or City-mandated water regulations dealing with drought conditions.

EXHIBIT A  
OF PLANNING COMMISSION RESOLUTION #4063



13. All landscaping in the public right-of-way shall comply with the most recently adopted water regulations by the State and City addressing water conservation measures. If turf is proposed to be installed in medians or park strips, high quality artificial turf (approved by the City Engineer and Development Services Director) shall be installed.
14. The developer shall use proper dust control procedures during site development in accordance with San Joaquin Valley Air Pollution Control District rules.
15. All parking lot and other exterior lighting shall be oriented in such a way so that it does not spill over onto adjacent properties. The parking lot shall include ample lighting for residents walking between the parking lot and their respective residential units.
16. Containers for refuse and recycled goods shall be stored in enclosures that are designed with colors compatible with the buildings and shall be constructed to meet City Standards. At the Building Permit stage, the developer shall work with the City Refuse Department to determine the best location for these enclosures to ensure proper access is provided for City Refuse Trucks as well as the number of containers needed to adequately serve the site. This may also allow for independent trash receptacles for each residential unit. Use of a trash compactor should be considered to reduce the number of pick-ups per week.
17. All mechanical equipment shall be screened from public view (details to be worked out with staff during the building permit stage).
18. The applicant shall record cross-access agreements and parking agreements between the subject sites (4 parcels) during the building permit stage.
19. Each parcel shall have its own water domestic, and fire service lines. Each service line shall extend from the City's main water line to the property line, with all water services separated by 10 feet or more from the sewer lateral connection.
20. The applicant shall work with the City's Public Works department to determine the appropriate location for water meters and backflow placement.

EXHIBIT A  
OF PLANNING COMMISSION RESOLUTION #4063

21. The proposal shall comply with Merced Municipal Code Section 20.46.030 – General Design Standards for Multi-Family Dwellings, required for multi-family residential developments of 3 units or more in any Zoning district within the City.
22. If the perimeter of the site is to be fenced, the applicant shall provide gate access to both Fire and Refuse Departments. This may include installing a Click-to-Enter system, or a Knox-box.
23. The design of a future fence shall match or compliment the design, color, and materials used for the exterior of the building.
24. The proposed driveway along Q Street shall be designed to meet City Engineering Standards. The work performed on the driveway shall be done by a licensed contractor under an Encroachment Permit issued by the Engineering Department.
25. Minor modifications to the design or layout of this proposal may be approved by the Director of Development Services or be referred to the Planning Commission if deemed appropriate by the Director of Development Services.
26. The Engineering Department may require the applicant to make additional public improvements during the building permit stage (such as repairing damaged sidewalk), per Merced Municipal Code 17.04.050 and 17.04.060 for projects exceeding valuation of \$100,000.00.

EXHIBIT A  
OF PLANNING COMMISSION RESOLUTION #4063

**Findings and Considerations**  
**Planning Commission Resolution #4063**  
**General Plan Amendment #21-01 and Zone Change #427**

**FINDINGS/CONSIDERATIONS:**

**General Plan Compliance and Policies Related to This Application**

- A) With the proposed General Plan Amendment and Zone Change, the proposed project will conform with the General Plan designation of High-Medium Density Residential (HMD) and zoning of Medium Density Residential (R-3-2). At 16 units on 0.88 acres the density shall be 18 dwelling units/acre, which conforms to the HMD designation, which allows densities of 12 to 24 dwelling units/acre.

The Housing Element of the *Merced Vision 2030 General Plan* includes policies supporting higher densities.

*Policy H-1.1 Support Increased in Residential Zoning Districts*

This proposal offers an opportunity for a higher density project to provide needed housing within the City.

*Policy 1.1.e Encourage Alternate Housing Types*

The proposed project would include three-bedroom apartments within four separate 4-plexes. This provides a different housing type to meet the growing need of housing within the community and supports this policy of providing alternate housing types.

*Policy 1.8b Prioritize City efforts to encourage residential development by focusing on in-fill development and densification within the existing City Limits.*

The proposed project is on an in-fill site and meets the density requirements of the City's high-medium density classification.

The following are Land Use Policies and Implementing Actions of the General Plan that could be met with the proposed project.

*Policy L-1.7 Encourage the Location of Multi-Family Developments on Sites With Good Access to Transportation, Shopping, Employment Centers, and Services.*

The proposed project is in close proximity to several employment, educational, and recreation locations, such as Tenaya Middle School, Margaret Sheehy Elementary, McNamara Park, and Golden Valley Health Centers.

**Mandatory Findings**

- B) Chapter 20.80 (Zoning Ordinance Amendments) and 20.82 (General Plan Amendments) of the Merced Municipal Code outline procedures for considering Zone Changes and General Plan Amendments. However, unlike other Planning permits, there are no specific findings spelled out in the Code that must be made in order to approve said amendments. However, good Planning practice would be to provide objective reasons for approval or denial, but these can take whatever form deemed appropriate by the Planning Commission and City Council. However, based on State law and case law, the following findings are recommended:

**EXHIBIT B**  
**OF PLANNING COMMISSION RESOLUTION #4063**

1. *The proposed amendment is deemed to be in the public interest.*

The proposed amendment is deemed to be in the public interest because it will provide needed housing for Merced residents and will provide investment opportunities for small investors who can enter the rental market with a small number of units. It will also fit into this particular neighborhood, which already contains a mixture of housing densities.

2. *The proposed amendment is consistent and compatible with the rest of the General Plan and any implementation programs that may be affected.*

This General Plan Amendment does not include any text changes to the General Plan, but rather amends the land use designation for a specific area (on the 2030 General Plan Map - Figure 2.3 Land Use Diagram) to allow an increase in residential density. The proposed amendment is consistent and compatible with the rest of the General Plan and any implementation programs that may be affected.

3. *The potential impacts of the proposed amendment have been assessed and have been determined not to be detrimental to the public health, safety, or welfare.*

The proposed project does not include any uses that would be detrimental to the public health, safety, and welfare of the City. Implementation of the conditions of approval and adherence to all applicable Building and Fire Codes and City Standards would prevent the project from having any detrimental effect on the health, safety, and welfare of the City.

4. *The proposed amendment has been processed in accordance with the applicable provisions of the California Government Code and the California Environmental Quality Act (CEQA).*

The Planning staff has conducted an environmental review (Initial Study #21-04) of the project in accordance with the requirements of the California Environmental Quality Act (CEQA), and a Negative Declaration (i.e., no significant effects in this) is being recommended (see Attachment F of Planning Commission Staff Report #21-263).

### **Traffic/Circulation**

- C) The project site is in southcentral Merced, approximately 1.5 miles from downtown, 0.75-miles from State Route 59, and 1 mile south of State Route 99. The project site is bounded by local roads, with the nearest north-south bound road being Q Street, and the nearest east-west bound road being 8<sup>th</sup> Street. 8<sup>th</sup> Street connects with R Street, which is considered a Major Arterial Road and designed to carry large volumes of traffic traveling throughout the community. R Street also provides access to both Highway 59 and Highway 99, that connect Merced with other regional communities throughout the State.

## EXHIBIT B OF PLANNING COMMISSION RESOLUTION #4063

The subject site is currently entitled for 12 units (up to 3 units per parcel can be allowed under current accessory dwelling unit laws), the proposed 16 units would generate a relatively minimal increase in vehicle traffic. According to Trip Generation (ITE Report) the average daily trips per unit is 6.59. At 12 units, that would total 79 trips per day, and at 16 units it would total 105 trips per day which would equate to a 25% increase in trips correlating to the 25% increase in number of residential units. The Engineering Department believes that the existing street network could adequately serve this proposal.

The increase in density would result in less vehicle miles traveled to surrounding uses such as Tenaya Middle School, Margaret Sheehy Elementary, McNamara Park, and Golden Valley Health Centers.

Per CEQA Guidelines Section 15064.3, alternative modes of transportation are being assessed and are available within a 1.5 mile distance of the site. The Merced County Bus provides services with several stops nearby (within a ¼ mile) along R Street linking the residents to the M1 Route. The Amtrak (passenger train service) is located within 1.5 miles providing services to the greater California area and connections to travel across the county. The closest airport is Merced Regional Airport, located approximately 1 mile to the east.

### **Parking**

- D) The Zoning Ordinance requires 1.75 spaces of parking for each multi-family unit up to 30 units, plus an additional 1.5 spaces for each unit over 30. There is also an increase in the number of spaces required based on the number of bedrooms and bathrooms in a unit (0.5 spaces for each bedroom over 2). The applicant is proposing 3 bedroom & 2-bathroom units (16 total). Based on this calculation, this project would require 36 parking spaces. The applicant is providing 31 parking spaces and is seeking approval for a parking reduction from the Director of Development Services. Per MMC 20.38-050 (D) – Parking Reductions, parking reductions may be approved up to 20 percent through a Transportation Demand Management Plan approved by the Director of the Development Services. The site is located close to several alternative modes of transportation such as bike lanes, and bus stops that link with rail service (Amtrak) and the Merced Regional Airport. Bicycle parking would be provided as required by the California Green Code, and reviewed during the Building Permit stage. With a 10% parking reduction, the applicant would exceed parking requirements by providing 31 parking spaces when 29 parking spaces are required. Planning staff believes this request is reasonable and is likely to be approved prior to construction.

### **Public Improvements/City Services**

- E) *Water*

There is a water line in Q Street along the frontage of the subject sites. The City's water supply would be sufficient to serve the proposed project. Each lot shall have water lateral connections from Q Street (Condition #19 of Staff Report #21-263).

*Sewer*

## EXHIBIT B OF PLANNING COMMISSION RESOLUTION #4063

The Merced Wastewater Treatment Plant (WWTP) recently finished two major upgrades (Phase IV and Phase V) to improve the quality of the treated water, referred to as plant effluent, and to improve the quality of biosolids and methods of treatment. The Merced Wastewater Treatment Plant is now one of the most advanced facilities in the state. It is capable of treating up to 12 million gallons of influent a day. The proposed project is estimated to generate approximately 1,280 – 1,600 gallons of wastewater per day (based on 80-100 gallons/day per residential unit). The additional wastewater generated by the project would be approximately 0.0133% of the overall capacity of the WWTP.

There is sufficient capacity at the WWTP, and the existing lines along the back portion of the properties (western portion) have enough capacity to accommodate the additional wastewater and transmit it to the WWTP for processing. Each lot shall have sewer lateral connections from the western portion of the property (Condition #19 of Staff Report #21-263).

#### Public Improvements

The Engineering Department may require the applicant to make additional public improvements during the building permit stage (such as repairing damaged sidewalk), per Merced Municipal Code 17.04.050 and 17.04.060 for projects exceeding valuation of \$100,000.00 (Condition #26 of Staff Report #21-263).

#### Building Design

- F) There would be one 4-plex on each lot, for a total of 16 units within the subject sites (Attachment C of Staff Report #21-263). Each unit within each 4-plex would consist of the same program containing 3 bedrooms, 2 bathrooms, a utility room, a living room, and a kitchen for a total of 1,172 square feet. The proposal shall comply with Merced Municipal Code Section 20.46.030 – General Design Standards for Multi-Family Dwellings, required for multi-family residential developments of 3 units or more in any Zoning district within the City. The applicant currently has no plans to add any accessory dwelling units (ADU's) in addition to the 16 units, however, ADU's are allowed in multi-family developments per current codes.

All of these buildings would generally have a similar design with a simple rectangular form and angled roof. The exterior of the buildings would be finished with siding, stucco, and stone veneers giving each units its own unique façade (Attachment E of Staff Report #21-263). The building heights would be 29 feet, which is below the maximum height allowed within the surrounding R-1-6 Zone (allows a maximum building height of 35 feet). Given the proposed design, materials, massing, and scale, staff believes that proposal is of high-quality and that will be compatible with the surrounding properties throughout the neighborhood.

#### Site Design

- G) The project site consists of 4 identical rectangular parcels (0.22-acres each) aligned consecutively along Q Street. Each parcel will contain a 4-plex within a 2-story building. Each unit would have 3 bedrooms and 2 bathrooms. Each unit would have

## EXHIBIT B OF PLANNING COMMISSION RESOLUTION #4063

a unique façade consisting of siding, stucco, and or stone veneer. Each parcel would have a similar layout with the buildings mirroring each other (Attachment D of Staff Report #21-263).

Even though the parcels would remain independent, there would be a lot of common space and cross-access agreements between the parcels. The apartments would be located on the western portion of the subject sites, and the parking and access would be located along the eastern portions of the subject sites – closer to Q Street. There would be one 26-foot-wide driveway located along Q Street. The parking area is located immediately behind the driveway and consists of 31 parking stalls and two sets of trash enclosures along eastern and western portions of the parking lot. Two walkways would create a pedestrian path between the parking lot and entrances to each residential unit.

### **Landscaping**

- H) Landscaping and irrigation shall be required to meet the City’s Water Efficient Landscape Ordinance (Conditions #11, #12, and #13 of Staff Report #21-263).

### **Neighborhood Impact/Interface**

- I) The subject site is located within an older portion of the City that was generally developed between the 1900’s and the 1950’s. As such, there are a variety property that were developed prior to adoption of development standards or unified local codes. This has resulted in neighborhood containing a variety of parcel shapes/sizes, and buildings that are unique in their development with many properties having secondary or multiple dwelling units on one parcel. Even though the majority of these parcels are zoned for single-family homes, there are several parcels within a 1,000-foot-radius that have two, three, or more units that are considered legal non-conforming. In addition, 190 feet north of the subject sites, there is a small area zoned Medium Density Residential with a similar concept to what is being proposed by the applicant (multiple independent lots with cross-access and parking agreements). Given the context of the surrounding multifamily units within legal non-conforming lots, and nearby Medium Density Residential Zone, staff is of the opinion that the proposed multifamily project is compatible with the character of the neighborhood.

Public hearing notices were sent to all property owners within 300 feet of the subject sites three weeks prior to the public hearing. As of the date this report was prepared, staff has not had any comments from the public regarding the project.

### **Environmental Clearance**

- J) The Planning staff has conducted an environmental review (Initial Study #21-04) of the project in accordance with the requirements of the California Environmental Quality Act (CEQA), and a Negative Declaration (i.e., no significant effects in this) is being recommended (see Attachment F of Planning Commission Staff Report #21-263).

## EXHIBIT B OF PLANNING COMMISSION RESOLUTION #4063



**BOYS & GIRLS CLUB  
OF MERCED COUNTY**

Please join us for the Installation of our  
2021 Board of Directors  
&  
Honoring Club Founders Jim & Jean Weaver  
and the Recognition of our Major Donors

Wednesday, May 19, 2021  
7:30AM to 8:30AM

615 West 15th Street, Merced, CA

Please RSVP to Virginia Hayward  
by May 14th at [vhaywardbgcmerced@gmail.com](mailto:vhaywardbgcmerced@gmail.com)

Breakfast will be served  
and we will follow all Covid-19 restrictions